



SHINANO

QUALITY JAPANESE AIR TOOLS

July 2020 - January 2021
Prices include GST.

PALM GRIP SANDERS

3" Mini Orbital Sander

Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg



PN: SI3102
\$385

ULTRA COMPACT

Orbital Mini Palm Grip Pad Sander

Free Speed: 9,000 RPM
Pad Size: 100 x 75 MM
Orbit Dia.: 4 MM
Weight: 0.94 Kg



PN: SI3003A
\$379

6" Dual Action Sander

Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 0.94 Kg



PN: SI3101-6
\$475

6" Dual Action Dust Free Sander

Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 1.29 Kg



PN: SI3111-6
\$575

SELF GENERATING VACUUM

WET GRINDING & SANDING

5" Wet Angle Grinder



Spindle: M14
Free Speed: 12,000 RPM
Weight: 1.65 Kg

PN: SI2515WE
\$639

Water through spindle

5" Wet Angle Sander



Spindle: M14
Free Speed: 10,000 RPM
Weight: 2.01 Kg

PN: SI2322WRLE
\$749

Water through spindle

DIE GRINDERS

1/4" Angle Head Die Grinder

Free Speed: 20,000 RPM
Length: 157 MM
Weight: 0.49 Kg



PN: SI2006S
\$310

1/4" Small Die Grinder

Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg



PN: SI2002EX
\$219

1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg



PN: SI2011S
\$210

1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg



PN: SI2012EX
\$229

1/4" Extended Die Grinder

Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg



PN: SI2022S
\$399

IMPACT WRENCHES

3/8" Butterfly Wrench

- 360° swivel inlet

Max Torque: 66 Ft/lbs
Bolt Cap: 10 MM
Weight: 0.94 Kg
Length: 158 MM



PN: SI1305
\$279

3/4" Impact Wrench

Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 218 MM
Weight: 3.25 Kg

PN: SI1550
\$855

1" IMPACT WRENCH

Max Torque: 1,217 Ft/lbs
Bolt Cap: 38 MM
Length: 220 MM
Weight: 3.5 Kg

PN: SI1555SR
\$1050

PN: SI1490BG
70th ANNIVERSARY SI1490 1/2" Impact Wrench \$369

- Responsive 8 vane motor
- Forward/Reverse selector
- 4 position speed selector
- Feather touch trigger
- Twin Hammer

Max Torque: 627 Ft/lbs
Free Speed: 8,000 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg



FREE Special Edition Mechanics Gloves!

WHILE STOCKS LAST!

NEW SI1555SR



**1,217 Ft/lbs
Just 3.5 Kg**

ANGLE GRINDERS

4" Angle Grinder

Spindle Size: M10 x 1.5
Free Speed: 13,000 RPM
Length: 191 MM
Weight: 1.04 Kg



PN: SI2501L
\$495

5" Angle Grinder

Spindle Size: M14 x 2
Length: 230 MM
Free Speed: 12,000 RPM
Weight: 1.65 Kg



PN: SI2515LA
\$499

5" ANGLE GRINDER

- Governed for optimal disc RPM
- Adjustable guard with quick lock.
- Spindle lock

Spindle Size: M14x2
Disc Size: 125 MM
Free Speed: 12,000 RPM
Weight: 1.85 Kg

PN: SI2520L
\$559



New Ergonomic Design

NEW

4" Angle Grinder

Spindle Size: M10 x 1.5
Free Speed: 12,700 RPM
Weight: 1.82 Kg



PN: SI2500L
\$469

7" Angle Grinder

Length: 337 MM
Free Speed: 7,500 RPM
Weight: 3.24 Kg



PN: SI2600L
\$695

12 MONTH FACTORY WARRANTY

DRILLS

3/8" Heavy Duty Drill

PN: SI5300A

\$299

- Non-reversible
- Chuck Size: 10 MM
- Length: 133 MM
- Free Speed: 2,000 RPM
- Weight: 0.91 Kg

3/8" Compact Drill

PN: SI5500

\$220

- Non-reversible
- Chuck Size: 10 MM
- Length: 130 MM
- Free Speed: 2,600 RPM
- Weight: 0.79 Kg

3/8" H-Duty Reversible Drill

PN: SI5305A

\$349

- Chuck Size: 10 MM
- Length: 132 MM
- Free Speed: 2,000 RPM
- Weight: 1.02 Kg

3/8" Keyless Reversible Drill

PN: SI5405

\$350

- Chuck Size: 10 MM
- Length: 210 MM
- Free Speed: 1,500 RPM
- Weight: 1.08 Kg

3/8" Straight Drill

PN: SI2015AD

\$339

- Chuck Size: 10 MM
- Length: 231 MM
- Free Speed: 6,000 RPM
- Weight: 1.06 Kg

3/8" Angle Drill Reversible

PN: SI5355

\$395

- Chuck Size: 10 MM
- Length: 202 MM
- Free Speed: 1,200 RPM
- Weight: 0.94 Kg

1/2 Capacity Reversible Keyed Drill

PN: SI5305-8A

\$459

- Chuck Size: 13 MM
- Length: 155 MM
- Free Speed: 800 RPM
- Weight: 1.45 Kg

1/2" Keyless Reversible Drill

PN: SI5405-6

\$469

- Chuck Size: 13 MM
- Length: 235 MM
- Free Speed: 600 RPM
- Weight: 1.41 Kg

SCREWDRIVERS

All screwdrivers feature forward & reverse.

1/4" Screwdriver

- Adjustable clutch

PN: SI1166A

\$459

- Length: 207 MM
- Bolt Cap: 1/4"
- Max Torque: 3.70 Ft/lbs
- Free Speed: 2,000 RPM
- Weight: 1.18 Kg

1/4" Straight Screwdriver

PN: SI1161

\$423

- Adjustable clutch
- Max Torque: 3.70 Ft/lbs
- Free Speed: 1,600 RPM
- Bolt Cap: 1/4"
- Length: 247 MM
- Weight: 1.12 Kg

1/4" Screwdriver

PN: SI1170

\$395

- Free Speed: 700 RPM
- Max Torque: 14.8 Ft/lbs
- Length: 176 MM
- Weight: 0.85 Kg

1/4" Screwdriver

- Adjustable clutch

PN: SI1166-8A

\$535

- Length: 229 MM
- Bolt Cap: 5/16"
- Max Torque: 6.60 Ft/lbs
- Free Speed: 800 RPM
- Weight: 1.35 Kg

NEEDLE SCALERS

Straight Grip Needle Scaler

- Stroke: 4.5 MM
- Impact Rate: 3,500 BPM
- Length: 333 MM
- Weight: 2.06 Kg

PN: SI4150EX

\$539



Pistol Grip Needle Scaler

- Stroke: 4.5 MM
- Impact Rate: 3,300 BPM
- Length: 355 MM
- Weight: 2.19 Kg

PN: SI4160

\$569



Spare Needle Set Pn: 820-11SET \$35

SANDERS

Mini Dual Action Sander

- Velcro Pad
- 2 Speed
- Free Speed: 15,000 RPM
- Pad Size: 75 MM
- Orbit Dia.: 3 MM
- Weight: 0.52 Kg

PN: SI2110

\$245



2" Disc Sander Kit

- Free Speed: 17,000 RPM
- Length: 144 MM
- Weight: 0.50 Kg

Includes 2 Abrasive Discs

PN: SI2201

\$219



46 Piece Flap & Disc Sanding Kit

- Includes: 2" Disc Sander (SI2201 tool only)
- Free Speed: 17,000 RPM
- Length: 144 MM
- Weight: 0.49 Kg

- 1 x 50 MM quick-lock backing pad
- 1 x 75 MM quick-lock backing pad
- 5 x 50 MM 36, 60 & 80 Grit Discs (Total 15)
- 5 x 75 MM 36 & 80 Grit Discs (Total 10)
- 2 x 50 MM 40, 60, 80 & 120 Grit Flap Discs (Total 8)
- 2 x 75 MM 40, 60 & 80 Grit Flap Discs (Total 6)
- 2 x 50 MM Clean & Strip Discs
- 2 x 75 MM Clean & Strip Discs

PN: SI2201KIT3

\$469



4" High Speed Disc Sander

- Length: 167 MM
- Free Speed: 19,000 RPM
- Weight: 0.99 Kg

Includes 3 & 4" Discs

PN: SI2210

\$195



6" Dual Action Sander

- Velcro Pad

- Free Speed: 10,000 RPM
- Orbit Dia.: 7 MM
- Weight: 1.82 Kg

PN: SI3100

\$265



5" Angle Head Disc Sander

- Spindle: 5/8 x 11 UNC
- Length: 285 MM
- Free Speed: 5,500 RPM
- Weight: 1.50 Kg

7" Heavy Duty Angle Sander

- Spindle: 5/8 x 11 UNC
- Length: 358 MM
- Free Speed: 4,500 RPM
- Weight: 2.13 Kg

PN: SI2026S

\$449



PN: SI2351

\$449

POLISHERS

70 MM Pistol Grip Polisher

- Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads
- Pad Size: 75 MM
- Free Speed: 4,500 RPM
- Length: 147 MM
- Weight: 0.64 Kg

PN: SI2221

\$359



7" Heavy Duty Angle Polisher

- Spindle: 5/8 x 11 UNC
- Length: 358 MM
- Free Speed: 2,300 RPM
- Weight: 2.13 Kg

PN: SI2451

\$449



AIR TOOL OIL

Add only a couple of drops daily to greatly reduce internal wear and maintain the integrity of the gaskets and seals

250 ml Air Tool Oil

PN: SI250

\$10

1 Litre Air Tool Oil

PN: SI1000

\$19

5 Litre Air Tool Oil

PN: SI5000

\$79



BELT SANDERS

10 MM Belt Sander

- Includes in-line air regulator for quick speed adjustments
 - 160° adjustable sanding arm
 - Includes 6, 10 MM sanding belts
- Belt Size: 330 x 10 or 12 MM
Free Speed: 15,000 RPM
Weight: 0.73 Kg



SWIVEL INLET WITH REGULATOR

PN: S12740

\$395

LIGHT WEIGHT COMPOSITE HOUSING



PN: S12800
\$539

20 MM Belt Sander
Belt Size: 520 x 20 MM
Free Speed: 15,000 RPM
Weight: 1.43 Kg



PN: S12830
\$749

30 MM Belt Sander
Belt Size: 540 x 30 MM
Free Speed: 10,000 RPM
Weight: 2.02 Kg



\$29 EA

10 MM Sanding Belts

40 Grit 10 MM x 330 MM Pkt 10

Pc: SIP10MMXP40

60 Grit 10 MM x 330 MM Pkt 10

Pc: SIP10MMXP60

80 Grit 10 MM x 330 MM Pkt 10

Pc: SIP10MMXP80

100 Grit 10 MM x 330 MM Pkt 10

Pc: SIP10MMXP100

120 Grit 10 MM x 330 MM Pkt 10

Pc: SIP10MMXP120



\$41 EA

20 MM Sanding Belts

40 Grit 20 MM x 520 MM Pkt 10

Pc: SIP20MMXP40

60 Grit 20 MM x 520 MM Pkt 10

Pc: SIP20MMXP60

80 Grit 20 MM x 520 MM Pkt 10

Pc: SIP20MMXP80

100 Grit 20 MM x 520 MM Pkt 10

Pc: SIP20MMXP100

120 Grit 20 MM x 520 MM Pkt 10

Pc: SIP20MMXP120

30 MM sanding belts also available.

RATCHET WRENCHES



1/4" Super Mini Ratchet

Max Torque: 22 Ft/lbs
Length: 125 MM
Weight: 0.39 Kg

PN: S11107B
\$245



1/4" Mini Ratchet Wrench

Max Torque: 26 Ft/lbs
Length: 168 MM
Weight: 0.85 Kg

PN: S11200B
\$236

3/8" Super Mini Ratchet

Length: 125 MM
Max Torque: 22 Ft/lbs
Weight: 0.40 Kg

PN: S11108B
\$245

3/8" Mini Ratchet Wrench

Max Torque: 30 Ft/lbs
Length: 168 MM
Weight: 0.85 Kg

PN: S11205B
\$236



1/4" Mini Ratchet Wrench

Length: 168 MM
Max Torque: 31 Ft/lbs
Weight: 0.54 Kg

PN: S11217EX
\$249



3/8" Ratchet Wrench

Length: 265 MM
Max Torque: 59 Ft/lbs
Weight: 1.16 Kg

PN: S11320A
\$199

3/8" Mini Ratchet Wrench

Length: 168 MM
Max Torque: 35 Ft/lbs
Weight: 0.54 Kg

PN: S11218EX
\$249

1/2" Ratchet Wrench

Length: 265 MM
Max Torque: 66 Ft/lbs
Weight: 1.17 Kg

PN: S11325A
\$199

1/2" Ratchet Wrench

Length: 263 MM
Max Torque: 85 Ft/lbs
Weight: 1.15 Kg



PN: S11345EX
\$259

1/2" Heavy Duty Ratchet

Length: 368 MM
Max Torque: 118 Ft/lbs
Weight: 1.95 Kg



PN: S11435
\$459

3/8" Through Ratchet with 6 Sockets

Includes 8, 10, 11, 12, 13 & 14 MM sockets, 3/8" square drive.

Max Torque: 33 Ft/lbs
Length: 211 MM
Weight: 0.54 Kg



IDEAL FOR HARD TO ACCESS NUTS & BOLTS

PN: S11288S
\$489

HAMMERING TOOLS

10.2 MM Pistol Grip Air Hammer

Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

PN: S14120A
\$235



Spring Retainer

Suits most hammers.



PN: GPA70
\$8

60 MM Paint Scraper Chisel

Shank Dia.: 10 MM / 0.401"



PN: S1823
\$59

20 MM Flat Chisel

Shank Dia.: 10 MM / 0.401"

PN: S1810
\$32

CUTTING TOOLS

Multifunction Mini Air Saw

- Includes in-line air regulator for quick speed adjustments
- Stroke Length: 10 MM
Free Speed: 10,500 RPM
Length: 148 MM
Weight: 0.52 Kg



10 MM Stroke
PN: S14740
\$385

Body Saw

Stroke Length: 5 MM
Free Speed: 10,000 RPM
Length: 259 MM
Weight: 0.58 Kg



PN: S14700B
\$339

Quality Bi-metal Blades

18 TPI Pack of 5

Pc: PT301A18

24 TPI Pack of 5

Pc: PT301A24

32 TPI Pack of 5

Pc: PT301A32



\$26 EA

3" Cut Off Grinder

Length: 196 MM
Free Speed: 20,000 RPM
Weight: 1.00 Kg



PN: S12033
\$219

3" Cut Off Discs Pack of 5

New discs only 0.8 MM thick. Cuts quicker and cleaner saving you time and money. Speed rated to 25,000 RPM

PN: C0007K

\$22

Air Nibbler

Free Speed: 2,600 SPM
Length: 175 MM
Weight: 1.00 Kg

PN: S14600
\$389



HEAVY DUTY IMPACT WRENCHES

1" H-Duty Impact Wrench

Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 MM
Weight: 10.9 Kg
Length: 285 MM

3 Handle Positions

PN: S11860
\$1339

Also available with 6" anvil (S11866) or 8" anvil (S11868).



1" H-Duty D-Handle Impact Wrench

Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 MM
Weight: 10.6 Kg
Length: 350 MM

PN: S11870
\$1349

Also available with 6" anvil (S11876) or 8" anvil (S11878). Call for pricing.



1" H-Duty D-Handle Impact Wrench

Max Torque: 2,430 Ft/lbs
Bolt Cap: 38 MM
Weight: 15.4 Kg
Length: 420 MM

PN: S11880
\$1699 2,430 Ft/lbs



SHINANO

QUALITY JAPANESE AIR TOOLS

July 2020 - January 2021

Valid February 1st to June 30th, 2020.
Prices include GST.

Distributed by:

SHINANO INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



2" Industrial Angle Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Spindle: 1/4" UNF x 9.5 MM
Length: 170 MM
Weight: 0.64 Kg

PN: SI-AG2-U2P
\$465

4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle: M8 x 15.8 MM
Length: 276 MM
Weight: 1.89 Kg

PN: SI-AG4-A2L
\$649

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.08 Kg

PN: SI-AG5-E3L
\$749

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle: 5/8" UNC x 22.2 MM
Length: 285 MM
Weight: 3.3 Kg

PN: SI-AG7-E5L
\$849

High Spec Collet

The High Spec Collets grips entire length of the burr shank. This reduces "run-out", which improves cutting efficiency and extends the service life of the burr.



NOT included with SI-SG3-CL.

Silencer Hose

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.

Mini Industrial Angle Die Grinder

Free Speed: 20,000 RPM
Output: 200 Watts
Collet Size: 1/4"
Length: 166 MM
Weight: 0.57 Kg



PN: SI-AG20E-6L
\$389

Industrial Angle Die Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Collet Size: 1/4"
Length: 170 MM
Weight: 0.64 Kg

• Spindle lock button for easy burr replacement



PN: SI-AG2-C2P
\$499

Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 150 MM
Weight: 0.38 Kg

PN: SI-SG20E-6L
\$330

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 284 MM
Weight: 0.68 Kg

PN: SI-SG20E-6LL
\$420

Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 187 MM
Weight: 0.71 Kg

PN: SI-SG60E-6L
\$350

Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 322 MM
Weight: 1.19 Kg

PN: SI-SG60E-6LL
\$499

Straight Industrial Die Grinder

• High powered tool for confined work areas
High Spec Collet NOT included.

Free Speed: 14,000 RPM
Output: 520 Watts
Collet Size: 1/4"
Length: 346 MM
Weight: 1.53 Kg



PN: SI-SG3-CL
\$639

Industrial 6" Dual Action Sander

• Powerful 485 Watt motor with adjustable power setting
• Handle exhaust

Free Speed: 11,200 RPM
Pad/Disc Size: 150 MM (6")
Spindle Size: 5/16-24 UNF
Orbit Dia: 6 MM



PN: SI-DS6-6L
\$499

Industrial Edge Profilers

- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.



Guide Plate: 100 MM
Head Height: 113 MM
Free Speed: 10,000 RPM
Output: 600 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

PN: SI-4011L
\$1349

Guide Plate: 150 MM
Head Height: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

PN: SI-4010L
\$1330

Industrial 10mm Angle Head Drill

Free Speed: 1,000 RPM
Head Height: 58 MM
Chuck Size: 10 MM
Length: 251 MM
Weight: 1.23 Kg



PN: SI-5365
\$425

- Powerful 228 Watt motor.
- Push-button forward & reverse

2.5" Industrial Straight Grinder

• Accepts 65x13 mm grinding wheels

Free Speed: 14,600 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.53 Kg

PN: SI-SG3-2L
\$639

3" Industrial Straight Grinder

• Accepts 75x13 mm grinding wheels

Free Speed: 12,700 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.7 Kg

PN: SI-SG3-3L
\$639

